

09/930,598

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((junction or connection or joint) near2 node) same (data near2 node)) and ('root node') and 'tree' and 'syntactical' and 'syntax tree' and table and 'validat' and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 17:05
L2	0	((junction or connection or join\$3 or conjunct\$4) near2 node) same (data near2 node)) and ('root node') and 'tree' and 'syntactical' and 'syntax tree' and table and 'validat' and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 17:06
S2	0	((junction or connection) near2 node) same (data near2 node)) same ('root node') and ('end node') and tree and (synta\$6 near2 (statement or string)) and 'syntax tree' and table and 'validat' and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:47
S3	0	((junction or connection) near2 node) same (data near2 node)) and ('root node') and ('end node') and 'tree' and (synta\$6 near2 (statement or string)) and 'syntax tree' and table and 'validat' and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:47
S4	0	((junction or connection) near2 node) same (data near2 node)) and ('root node') and ('end node') and 'tree' and 'synta' and 'syntax tree' and table and 'validat' and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:48

S5	0	((junction or connection) near2 node) same (data near2 node)) and ('root node') and ('end node') and 'tree' and 'syntactical' and 'syntax tree' and table and 'validat' and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:48
S6	0	((junction or connection) near2 node) same (data near2 node)) and ('root node') and 'tree' and 'syntactical' and 'syntax tree' and table and 'validat' and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 17:05
S7	0	((junction or connection) near2 node) same (data near2 node)) and ('root node') and 'tree' and 'syntactical' and 'syntax tree' and table and 'validat' and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:49
S8	0	((junction or connection) near2 node) same (data near2 node)) and ('root node') and 'tree' and 'syntax tree' and table and 'validate' and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:50
S9	0	((junction or connection) near2 node) and 'data node') and ('root node') and 'tree' and 'syntax tree' and table and 'validate' and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:50
S10	0	((junction or connection) near2 node) and 'data node') and ('root node') and 'tree' and 'syntax tree' and table and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:50
S11	0	((junction or connection) near2 node) and ('root node') and 'tree' and 'syntax tree' and table and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:51

S12	0	((junction or connection) near3 node) and ('root node') and 'tree' and 'syntax tree' and table and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:52
S13	0	((junction or connection) near3 node) and ('root node') and 'tree' and ('syntax' near2 tree) and table and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:52
S14	0	('junction node') and ('root node') and 'tree' and ('syntax' near2 tree) and table and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:53
S15	0	('junction node') and ('root node') and 'tree' and ('syntax' near2 tree) and table and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 12:54
S16	23	('root node') and 'tree' and ('syntax' near2 tree) and table and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 13:31
S17	0	(connect\$3 near4 node) and 'tree' and table and 'token' and 'validat' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 13:32
S18	0	((((connect\$3 or \$join3) or link\$3) near4 node) and 'tree' and table and 'token' and 'validat' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 13:33
S19	520	((((connect\$3 or \$join3) or link\$3) near4 node) and 'tree' and table and 'token' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:24

S20	141	((connect\$3 or \$join3) or link\$3) near4 node) and 'tree' and table and 'token' and validat\$3 and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 13:34
S21	22	((connect\$3 or \$join3) or link\$3) near4 node) and 'tree' and table and 'token' and validat\$3 and 'root node' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:35
S22	1	((connect\$3 or \$join3) or link\$3) near4 node) and 'tree' and table and 'token' and validat\$3 and 'root node' and 'end node' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 13:34
S23	22	((connect\$3 or junction) or link\$3) near4 node) and 'tree' and table and 'token' and validat\$3 and 'root node' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 11:12
S24	1	((connect\$3 or junction) or link\$3) near4 node) and 'tree' and table and 'token' and validat\$3 and ('root node' same 'end node') and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:38
S25	5	((connect\$3 or junction) or link\$3) near4 node) and 'tree' and table and 'token' and validat\$3 and 'root node' and ((end or terminate) near2 node) and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:47
S26	0	((connect\$3 or junction) or link\$3) near4 node) and 'tree' and table and 'token' and validat\$3 and 'root node' and compil and ((end or terminate) near2 node) and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 14:48

S27	1	((connect\$3 or junction) or link\$3) near4 node) and 'tree' and table and 'token' and validat\$3 and 'root node' and (compil\$5 same syntax) and ((end or terminate) near2 node) and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:02
S28	0	((connect\$3 or junction) or link\$3) near4 node) and 'tree' and table and 'token' and (validat\$3 near3 syntact\$4) and 'compil' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:04
S29	0	'tree' and table and 'token' and (validat\$3 near2 syntact\$4) and 'compil' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:04
S30	0	'syntax tree' and 'token' and (validat\$3 near2 syntact\$4) and 'compil' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:05
S31	0	(validat\$3 near2 syntact\$4) and 'compil' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:05
S32	0	(validat\$3 near2 synta\$6) and 'compil' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:06
S33	0	(validat\$3 near4 synta\$6) and 'compil' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:06
S34	0	(validat\$4 same 'syntacti') and 'compil' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:07

S35	0	('validat\$4 same token) and 'compil' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:09
S36	0	'validat' and 'compil' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:09
S37	0	'validat' and 'compil' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:09
S38	0	('validat\$3' near3 syntac\$5) and ('compil\$5' same 'code') and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:32
S39	0	('validat\$3' near3 syntac\$5) and ('compil\$5' same 'root') and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:11
S40	0	('compil\$5' same 'code') and 'node' and 'tree' and 717/143.ccls. and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:33
S41	14	compile and 'node' and 'tree' and 717/143.ccls. and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:48
S42	1	compile and 'node' and 'tree' and 'validate' and 717/143.ccls. and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:35

S43	2	"20020199177"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/02 15:48
S44	16	((((compil\$5).ti.) or ((compil\$5).ab.)) and 'tree' and table and 'token' and 'distance' and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:30
S45	0	((((compil\$5).ti.) or ((compil\$5).ab.)) and 'tree' and table and 'token' and 'distance' and ('root node' or 'end node') and ('junction node' or (connection near2 node)) and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:28
S46	0	((((compil\$5).ti.) or ((compil\$5).ab.)) and 'tree' and table and 'token' and 'distance' and ('junction node' or (connection near2 node)) and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:28
S47	0	((((compil\$5).ti.) or ((compil\$5).ab.)) and 'tree' and table and 'token' and 'distance' and ('root node' or 'end node') and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:28
S48	4	((((compil\$5).ti.) or ((compil\$5).ab.)) and 'tree' and table and 'token' and ("junction node" or (connect\$4 near2 node)) and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 10:31
S49	11	((representation or table) near3 'syntax tree') and found and 'token' and (compil\$5 same process) and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 11:46
S50	0	((((representation or table) near3 'syntax tree') same 'found') and 'token' and (compil\$5 same process) and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 11:47

S51	0	((representation or table) near5 'syntax tree') same 'found') and 'token' and (compil\$5 same process) and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 11:49
S52	0	((representation or table) or symbol) near5 'syntax tree') same 'found') and 'token' and (compil\$5 same process) and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 11:49
S53	1	((representation or table) or symbol) same 'syntax tree') same 'found') and 'token' and (compil\$5 same process) and (@ad < "20000803" or @prad < "20000803" or @rlad < "20000803")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 11:49
S54	2	"5845126".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 12:45
S55	2	"5581696".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 12:46
S56	2	"5678052".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 12:46